## Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

## **Listing of the Claims**:

- 1-10 (Cancelled)
- 11. (Currently Amended): A microemulsion comprising:
  - (A) 0.5 to 70% by weight of the alkanolammonium salts of alkylsulfates and alkylpolyalkyleneglycolethersulfates having the structure:

$$R^{1}$$
—O— $(C_{p}H_{2p}O)_{m}$ –  $SO_{3}HN^{+}R^{2}R^{3}R^{4}$ ,

wherein

R<sup>1</sup> is a C<sub>8</sub>- to C<sub>20</sub>-hydrocarbon residue,

p is an integer from 2 to 5, wherein p can be different for each m,

 $R^2$  is H, a  $C_1$ - to  $C_6$ -alkyl, or a  $C_2$ - to  $C_4$ -hydroxyalkyl,

 $R^3$  is H, a  $C_1$ - to  $C_6$ -alkyl, or a  $C_2$ - to  $C_4$ -hydroxyalkyl,

 $R^4$  is a  $C_2$ -to  $C_4$ -hydroxy<u>isopropylalkyl</u>, and

m is an integer from 0 to 7,

and mixtures thereof;

- (B) 20 to 95% by weight water;
- (C) 0.1 to 20% by weight of at least one oil component; and
- (D) 0.1 to 20% by weight of at least one mono- or polyvalent  $C_2$  to  $C_{24}$ -alcohol, each based on the total composition of the microemulsion.

12. (Previously Presented): The microemulsion according to claim 11, wherein the alkanolammonium salts of the alkylsulfates and/or alkylpolyalkyleneglycolethersulfates comprise the following residue or indices:

 $R^{1}$  is a linear or saturated  $C_{12}$ - to  $C_{16}$ -alkyl residue,

p is 2 or 3, wherein p can be different for each m,

R<sup>2</sup> is H or hydroxyisopropyl,

R<sup>3</sup> is H or hydroxyisopropyl,

R<sup>4</sup> is hydroxyisopropyl, and

m is an integer from 0 to 2.

- 13. (Previously Presented): The microemulsion according to any one of claims 11 and 12, wherein the microemulsion contains component
  - (A) in an amount of 2 to 60% by weight,
  - (B) in an amount of 30 to 80% by weight,
  - (C) in an amount of 0.5 to 15% by weight, and
  - (D) in an amount of 0.1 to 9% by weight.
- 14. (Previously Presented): The microemulsion according to any one of claims 11 and 12, further containing at least one of the following components:
  - (E) 0 to 20% by weight of at least one surfactant,
  - (F) 0 to 20% by weight of at least one electrolyte, and

- (G) 0 to 10% by weight of at least one additive, wherein (F) and (G) are exclusive of any ionic surfactant.
- 15. (Previously Presented): The microemulsion according to claim 14, containing at least one of the following components:
  - (E) at least one additional surfactant comprising a triglyceride alkoxylated with ethyleneoxide and/or propyleneoxide and at least partially esterified with a  $C_6$  to  $C_{22}$ -fatty acid, and
  - (G) at least one additive comprising a poly( $C_2$  to  $C_4$ -)alkyleneglycol having a molecular weight of up to 1,500 g/mole.
- 16. (Previously Presented): The microemulsion according to any one of claims 11 and 12, wherein the oil component (C) contains one or more components selected from the group consisting of lecithins; mono-, di-, and/or triglycerides of saturated and/or unsaturated, branched and/or linear carboxylic acids having chain lengths of from 8 to 24 carbon atoms; branched and/or linear hydrocarbons; waxes; petroleum jelly; paraffin oils; polyolefins; silicone oils; esters of saturated, unsaturated, and/or aromatic, branched and/or linear carboxylic acids having chain lengths of from 3 to 30 carbon atoms; and saturated and/or unsaturated, branched and/or linear alcohols having chain lengths of from 3 to 30 carbon atoms.

17. (Previously Presented): The microemulsion according to any one of claims 11 and 12, characterized in that the microemulsion is a stable and transparent emulsion, the disperse phase thereof having an average particle size of less than 100 nm.

## 18-19. (Canceled)

- 20. (New) A microemulsion consisting essentially of:
  - (A) 0.5 to 70% by weight alkanolammonium salts of the alkylsulfates and/or alkyl-polyalkyleneglycolethersulfates having the structure:

$$R^{1}$$
—O— $(C_{p}H_{2p}O)_{m}$ -SO<sub>3</sub>HN<sup>+</sup>R<sup>2</sup>R<sup>3</sup>R<sup>4</sup>,

wherein

R1 is a C<sub>8</sub>- to C<sub>20</sub>-hydrocarbon residue,

p is an integer from 2 to 5, wherein p can be different for each m,

R<sup>2</sup> is H, a C<sub>1</sub>- to C<sub>6</sub>-alkyl, or hydroxyisopropyl,

R<sup>3</sup> is H, a C<sub>1</sub>- to C<sub>6</sub>-alkyl, or to C<sub>4</sub>-hydroxyisopropyl,

R<sup>4</sup> is a hydroxyisopropyl, and

m is an integer from 0 to 7,

and mixtures thereof;

- (B) 20 to 95% by weight water, and
- (C) 0.1 to 20% by weight one or more oil component(s), and
- (D) 0.1 to 20% by weight of one or more mono- or polyvalent  $C_2$  to  $C_{24}$ -alcohol(s), and optionally

- (E) 0 to 20% by weight of one or more additional surfactant(s)
- (F) 0 to 20% by weight of one or more electrolyte(s), and
- (G) 0 to 10% by weight of one or more additive(s)

each based on the total composition and

wherein no compound falls under two categories of (A) to (G) at the same time.